

SAFETY DATA SHEET (SDS)

PAINT SEALANT

SECTION 1: IDENTIFICATION

Product Name: Paint Sealant
Product Use: Paint Sealant
Product Code (s): S-060PS

Supplier:
Sym-Tech Inc.
P.O. Box 430, Stn A
Scarborough ON
M1K 5C3
1-800-363-5796

Emergency Tel. 1-613-996-6666 CANUTEC for 24HR emergency information

SECTION 2: HAZARD(s) IDENTIFICATION

OSHA Hazards: Combustible liquid
Signal Word: Danger

Hazard Statements:

- H227 – Combustible liquid.
- H302 – Harmful if swallowed
- H315 – Causes skin irritation
- H320 – Causes eye irritation

Symbol



GHS Precautionary Statements:

P102 Keep away from children.

P210 Keep away from heat/sparks/open flames/hot surfaces/other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so – continue rinsing.

SECTION 3: COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Hazardous Components	CAS	(ASHA 29 CFR 1910.1200)
Hydrotreated Light Distillate	64742-47-8	
Morpholine	110-91-8	

The specific chemical identities and/or exact percentage concentration of composition may have been withheld as a trade secret.

SECTION 4: FIRST-AID MEASURES

Inhalation:	Remove person to fresh air.
Skin:	Wash affected area with soap and water. Rinse thoroughly.
Eyes:	Rinse with water for 15 minutes. If eye irritation occurs, get medical attention.
Ingestion:	Do not induce vomiting. Seek medical attention.
Symptoms / Effects:	None known

SECTION 5: FIRE-FIGHTING MEASURES

Hazardous Combustion Products:	Possible oxides of carbon.
Firefighting Instructions:	Use water mist to cool fire exposed drum.
Fire Fighting Equipment:	Bunker gear and SCBA.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Land Spill procedures:	Eliminate ignition source. Isolate hazard area and deny entry to unauthorized personnel. Avoid run off into storm sewers or ditches by containment with sand or absorbent material.
Water Spill:	Remove from water with suitable absorbent material.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling:	Take normal care to prevent prolonged skin contact.
Precautions for Safe Storage:	Keep from freezing or from heating above 110°F. Store in original container.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Components:	OSHA PEL & ACGIH TLV
Hyrotreated Light Distillate:	100 ppm
Morpholine:	20 ppm
Engineering Controls:	The use of mechanical ventilation is not needed under normal conditions.
Personal Protective Measures:	Not needed under normal conditions. The use of a respirator and rubber gloves is recommended for prolonged contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Non viscous, white liquid
Odour:	Slight Solvent
Odour Threshold:	Not applicable
Vapour Density:	Not applicable
Vapour Pressure:	Not applicable
Specific Gravity:	0.984 @ 70°F
pH:	Not applicable
Viscosity:	7,500-11,200 cps (Brookfield Viscometer: spindle 5 @ 10 rpm @ 70°F)
Weight/Gallon:	8.31 lb/gal
Freezing Point:	Not applicable
Boiling Point:	Not applicable
Solubility in Water:	Insoluble
% Volatile:	Not applicable
Flash Point and Method:	142°F (61.0°C) TCC
Flammable Limits:	Not applicable
Auto Ignition Temperatures:	Not applicable
Decomposition Temperature:	Not applicable
Evaporation Rate:	0.1 (n-butyl acetate=1)
Partition Coefficient: n-octanol/water	Not applicable
VOC %:	310 g/litre (calculated)

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability

This product is stable and hazardous polymerization will not occur.

Materials to Avoid:

Strong oxidizers

Conditions to Avoid:

Open flame

Hazardous Decomposition:

Oxides of carbon

SECTION 11: TOXICOLOGICAL INFORMATION

The complete toxicological data for each ingredient is unknown and otherwise beyond the scope of this document.

SECTION 12: ECOLOGICAL INFORMATION

This product is harmful to fish and algae upon immediate exposure.

SECTION 13: DISPOSAL CONSIDERATIONS

Refer to Sections 5, 6 and 15 for Disposal and Regulatory information.

SECTION 14: TRANSPORT INFORMATION

For Industrial/Professional Use Only-Keep out of reach of Children.

DOT Shipping Description:

Combustible Liquid N.O.S.

UN:

1268,111

SECTION 15: REGULATORY INFORMATION

TSCA: (Toxic Substances Control Act)

All components are listed on the TSCA

CERCLA:

Not reportable

SARA Title III:

No Known reportable ingredients.

SECTION 16: PREPARATION AND OTHER INFORMATION

NFPA Rating: Health Hazard-1, Fire – 2, Reactivity Hazard – 0
Key: 4 = severe, 3 = serious, 2 = moderate, 1 = slight, 0 = minimal

PREPARED BY: WHMIS Committee
PHONE NUMBER: 1-800-363-5796
EMERGENCY: This SDS is Registered with CANUTEC
EMERGENCY NUMBER: For 24hr Information call 613-996-6666
PREPARATION DATE: January 2021
EXPIRES: January 2023

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use. Customers / users of this product must comply with all health and safety laws, regulations.